

DAFTAR PUSTAKA

- A. Pýowuszyýska dan A. Gliszczyýska, “Perkembangan terkini dalam aplikasi terapeutik dan nutraceutical Asam P-Metoksisinamat yang berasal dari tumbuhan,” *Molecules*, vol. 26,(13), hlm. 1–17, 2021, doi: 10.3390/molekul26133827.
- Adisakwattana S, Roengsamran S, Hsu WH, Yibchok-anun S. Mekanisme efek anti hiperglikemik Asam P-Metoksisinamat pada tikus diabetes normal dan yang diinduksi streptozotocin. *Ilmu Kehidupan*. 2005;78(4):406-12. <https://doi.org/10.1016/j.lfs.2005.04.073> PM Tengah:16139846
- Af Masduqi, E. Indriyanti, dan RS Dinurrosifa, “Uji Aktivitas Antibakteri pada APMS (*p-Methoxy Cinnamic Acid*) Terhadap Bakteri *Escherichia coli*,” *J. Ilm. Sains*, jilid. 21, tidak. 2, hal. 155, 2021, doi: 10.35799/jis.v21i2.35684
- Alatas F, Abdul Azizsidq F, Hartyana Sutarna T, Ratih H, Nurono Soewandhi S. Perbaikan Kelarutan Albendazol Melalui Pembentukan Kristal Multikomponen dengan Asam Malat. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*. 2020;6(1):114-23.
- Bavishi DD, Borkhataria CH. Pegas dan parasut: Bagaimana kokristal meningkatkan kelarutan. *Materi Karakter Pertumbuhan Kristal Prog*. 2016;62(3):1-8. <https://doi.org/10.1016/j.pcrysgrow.2016.07.001>
- Bazzo GC, Pezzini BR, Stulzer HK. *Eutectic mixtures as an Approach to Enhance Solubility, Dissolution Rate and Oral Bioavailability of Poorly Water Soluble Drugs*. *International Journal of Pharmaceutics*. 2020 Oct;588:119741.
- Berry DJ and Steed JW. 2017. *Pharmaceutical Cocrystals, Salts and Multicomponent Systems; Intermolecular Interactions and Property Based Design*. *Advanced Drug Delivery Reviews*.1-22.
- BS, Sekhon. *Pharmaceutical CoCrystals-A Review*. *Ars Pharm* 50 no.3 (2009): h. 99-100
- Chandramouli Y, Gandhimathi R, Rubia B, Vikram A, Mahitha B, and Imroz SM. 2012. *Review on Cocrystal as An Approach With Newer Implications in Pharmaceutical Field*. *International Journal of Medicinal Chemistry & Analysis*. 2(2):91-100.
- Chaudhari S, Nikam SA, Khatri N, and Wakde S. 2018. *Co-Crystals: a Review*. *Journal of Drug Delivery and Therapeutics*. 8(6):350-358.

- Chavan RB, Shastri NR. *Overview of Multicomponent Solid Forms. Journal of Nanotoxicology and Nanomedicine*. 2018 Jan;3(1):23-48.
- Ciao, N., Li, Pharmacindwein, W., Male, N., Davies, A., & Gray Trappit. (2011). *Pharmaceutical Cocrystal : An Overview*. International Journal of Pharmaceutics, 1-11.
- Clarke HD. *Crystal Engineering of Multi-Component Crystal Form: The Opportunities and Challenges in Design*. ProQuest Dissertations and Theses. 2012;(January):153.
- Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskop. PADANG:Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK); 2004. 1-158 p.
- Ferdiansyah, R., Ardiansyah, S. A., Rachmaniar, R., Tinggi, S., Indonesia, F., Soekarno-, J., No, H., Bandung, K., Barat, J., Farmakologi, D., Tinggi, S., Indonesia, F., Soekarno-, J., No, H., Bandung, K., & Barat, J. (2021). Jurnal Ilmiah Farmako Bahari review : the effect of cocrystal formation using carboxylic acid coformer with solvent evaporation and solvent drop grinding methods on re- view : pengaruh pembentukan kokristal menggunakan koformer asam karboksilat dengan metod. *Jurnal Ilmiah Farmako Bahari*, 12, 28–38.
- Fitriani, L., Tirtania, S., Umar, S., & Zaini, E. (2024). Enhancing The Solubility And Dissolution Rate Of Piperine Via Preparation Of Piperine–Hydroxypropyl Methylcellulose 2910 Solid Dispersion System Using Freeze-Drying Method. *Journal of Pharmacy & Pharmacognosy Research*, 12(1), 175-183.
- Friscic T. *The Role of Solvent in Mechanochemical and Sonochemical Cocrystal Formation: A Solubility Based Approach for Predicting Cocrystallisation Outcome*. Vol. 11. CrystEngComm; 2008. 418-426 p.
- Fudholi A. Disolusi dan Pelepasan Obat In Vitro. In: Fudholi A, editor. 1st ed. Yogyakarta: Pustaka Pelajar; 2013. p. 32-50.
- Fulias, Vlase, Gabriela., Vlase, Titus., Lenuta, S.Maria., S, Codruta., Ledeti, I. 2015. *Screening and Characterization of Cocryslal Formation Between Carbamezepin and Succinic Acid .. J Therm Anal Caiorism*.
- Gozali D, Bahti HH, Soewandhani SN dan Abdassah M. 2012. Pembentukan Kokristal Antara Kalsium Atorvastatin dengan Isonikotinamid dan Karakterisasinya. *Jurnal Sains Materi Indonesia*. 103-110.
- Grothe E, Meekes H, Vlieg E, Horst JH, and Gelder R. 2016. *Solvates, Salts,*

and Cocrystals: A Proposal for a Feasible Classification System. American Chemical Society. 3237-3243.

Isadiatuti D, Rosita N, Ekowati J, Syahrani A, Ariyani T, Rifqi MA. Kajian termodinamika Asam P-Metoksisinamat dalam pembentukan kompleks inklusi menggunakan siklodekstrin dan hidroksipropil-siklodekstrin. *J Basic Clin Fisiol Farmakol.* 2021;32(4):663-7. <https://doi.org/10.1515/jbcpp-2021-0008>

Iyan. Kokristal: Modifikasi Padatan Farmasi Sebagai Strategi Perbaikan Sifat Fisikokimia Obat. Yogyakarta: Dee Publish; 2020.

Jessica, A., Agustina, A., & Zaini, E. (2022). Pembentukan dan Karakterisasi Multikomponen Kristal Aseklufenak – Asam Suksinat Dengan Metode Solvent Drop Grinding. *Jurnal Sains Farmasi & Klinis*, 9(sup), 138. <https://doi.org/10.25077/jsfk.9.sup.138-145.2022>.

Karagianni A, Malamataris M, and Kachrimanis K. 2018. *Pharmaceutical Cocrystals: New Solid Phase Modification Approaches for the Formulation*. *Journal of Pharmaceutics*. 10(18): 1-30.

Kementrian Kesehatan Republik Indonesia. 1979. Farmakope Indonesia, Edisi keIII. Jakarta, Indonesia: Departemen Kesehatan Republik Indonesia.

Kementrian Kesehatan Republik Indonesia. 2014. Farmakope Indonesia, Edisi keV. Jakarta, Indonesia: Departemen Kesehatan Republik Indonesia.

Kementrian Kesehatan Republik Indonesia. 2020. Farmakope Indonesia, Edisi keVI. Jakarta, Indonesia: Departemen Kesehatan Republik Indonesia.

Kotak U, Prajapati V, Solanki H, Jani G, and Jha P. 2015. *Co-Crystallization Technique Its Rationale and Recent Progress*. *World Journal of Pharmacy and Pharmaceutical Sciences*. 1484-1508.

Kothur, R. R., Swetha, A. S., Bondili, N. P. (2012). *An Outline of Crystal Engineering of Pharmaceutical Co-Crystal and Applications : A Review*. *International Journal of Pharmaceutical Research and Development*, 4(8),84-92.

Lin HL, Wu TK, Lin SY. Penapisan dan karakterisasi pembentukan kokristal metaxalone dengan asam dikarboksilat rantai pendek yang diinduksi dengan pendekatan penggilingan berbantuan pelarut. *Termokhim Acta*. 2014;575:313-21. <https://doi.org/10.1016/j.tca.2013.10.029>

Najih, Y. A., Setyawan, D., & Radjaram, A. (2018). Pembentukan Kokristal Ketokonazol-Asam Suksinat Yang Dibuat Dengan Metode Penggilingan

- (Grinding). *Journal of Pharmacy Science and Technology*, 1(1), 8.
<https://doi.org/10.30649/pst.v111.30>
- Papich MG, Martinez MN. *Applying Biopharmaceutical Classification System (BCS) Criteria to Predict Oral Absorption of Drugs in Dogs: Challenges and Pitfalls*. *The AAPS Journal*. 2015 Jul 29;17(4):948-64.
- Patole T and Deshpande A. 2014. *Co-Crystallization- a technique for solubility enhancement*. *International Journal Pharmaceutical Science and Research*. 5(9):3566-3576.
- Permata SD, Sulaiman Saifullah, Mafruhah ratna, okti. Uji Disolusi Terbanding Tablet Metformin Hidroklorida Berlogo dan Bermerek. *Majalah Farmaseutik*. 2013;9(1): 1-5.
- Putra OD, Furuishi T, Yonemochi E, Terada K, Uekusa H, *Drug-drug Multicomponent Crytals as an Effective Technique to Overcome Weaknesses in Parent Drugs*. *Crytal Growth and Design*. 2016;16(7):3577-81.
- Rachmaniar, R., Tristiyantri, D., Sari, Y,D. (2020). Pengaruh Koformer Nikotinamid Dan Metode Pembentukan Kokristal Terhadap Kelarutan Zat Aktif Tidak Larut Air. *Jurnal Sains dan Teknologi Farmasi Indonesia*. IX(1): 27-40.
- Ridditid W., Sae-Wong C., Reanmongkol W., Wongnawa M., 2008. *Antinociceptive activity of the methanolic extract of Kaempferia galanga Linn. In experimental animals*. *J Ethnopharmacol*. 118(2), pp. 225-230. 10.1007/s11010-018-3398-5.
- Sagala RJ. 2019. Metode Peningkatan Kecepatan Disolusi Dikombinasi Dengan Penambahan Surfaktan (Review: The Different Methods of Enhancing Dissolution Rate by the Present of Surfactant). *Galenika Journal of pharmacy*. 5(1):84-92.
- Sari, Y. N., Zaini, E., Ismed, F. (2019). Peningkatan Laju Disolusi Piperin dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. *Jurnal sains farmasi & klinis*. 6(2):180-185.
- Sathisaran I, Dalvi S. *Engineering Cocrystals of Poorly Water-Soluble Drugs to Enhance Dissolution in Aqueous Medium*. *Pharmaceutics*. 2018 Jul 31;10(3): 108.
- Setiabudi, A., Hardian, R., Muzakir, A. (2012). Karakterisasi Material; Prinsip dan Aplikasinya dalam Penelitian Kimia. UPI Press. 8-115.

- Setianingsh, Prananto. Spektroskopi Inframerah. Malang: UB Press; 2020. 1-136p.
- Setyawan D, dan Zaini E. 2018. Polimorf Bahan Aktif Farmasi. Surabaya, Indonesia. Airlangga University Press.
- Setyawan D, Pravianti ERD, Pratiwi KD, Isadiartuti D, Paramita DP. Cocry stallization of Loratadine With Succinic Acid Using Neat Grinding Method. SSRN Electronic journal. 2019; 74-9
- Setyawan, D., Sulistyowaty, M. I., Sari, I. P., Yusuf, H., & Zaini, E. (2023). The Formation of p-Methoxycinnamic Acid-Caffeine Co-Crystal by the Solution Evaporation Method and its Physicochemical Characterization. *AIP Conference Proceedings*, 2536(May). <https://doi.org/10.1063/5.0119975>
- Setyawan, dwi dan Putri D. Strategi Peningkatan Kelarutan Bahan Aktif Farmasi. 2019;(September):80, 126-31.
- Shargel L, Wu-pong S, B. Andrew. *Applied Biopharmaceutical and Pharmacokinetic*. Seventh Ed. Mc Graw, editor. New York: 2012; 2012.
- Sopyan, I., Fudholi, A., Muchtaridi, M., & Puspitasari, I. (2016). Anovel of cocrystal- ization to improve solubility and dissolution rate of simvastatin. *International Juornal of PharmTech Research*, 9(6), 483-491.
- Thakuria R, Delori A, Jones W, Lipert M, Roy L, Rodríguez-Hornedo N. Kokristal farmasi dan obat-obatan yang sukar larut Farmasi Int J. 2013;453(1):101-25. <https://doi.org/10.1016/j.ijpharm.2012> PMTengah:23207015
- Umar MI., Asmawi MZ., Sadikun A., Atangwho JJ., Yam MF., Altaf R., Ahmed A. 2012. *Bioactivity-Guide Isolation of Ethyl p-methoxycinnamate, and Anti inflammatory Constituent*, from *Kaempferia galanga* Linn. Extracts. *Molecule* 17, pp. 8720-8734.
- Vishweshwar PJA, McMahon JA, and Zaworotko M. 2006. *Pharmaceutical Co-Crystals*. *Journal of Pharmaceutical of Science*. 95(3):499-516.
- Wicaksono Y, Rosidi VA, Saragih SY, Fauziah L dan Setyawan D. Pembuatan padatan koamorf kering semprot untuk meningkatkan kelarutan dan laju disolusi kalsium atorvastatin. *J Teknologi*. 2021;83(2):77-83. <https://doi.org/10.11113/jurnalteknologi.v83.14706>
- Wicaksono Y, Setyawan D, Siswandono S, Siswoyo TA. Persiapan dan

karakterisasi kokristal baru kalsium atorvastatin dengan koformer SA. Indonesia J Kimia. 2019;19(3):660-7. <https://doi.org/10.22146/ijc.35801>

Yadav AV, Shete AS, Dabke AP, Kulkarni PV and Sakhare SS. 2009. *Co-crystals: a novel approach to modify physicochemical properties of active pharmaceutical ingredients*. Indian Journal Pharmacy Science.71(4): 359- 70.

Yoga W, Hendriani R. Review: Teknik Peningkatan Kelarutan Obat. Farmaka.2017;4(4):1-13.

Yousaf AM,Ramzan M,Shahzad Y,Mahmood T, and Jamshaid M. 2018.*Fabrication and in vitro characterization of fenofibric acid-loaded hyaluronic acid-polyethylene glycol polymeric composites with enhanced drug solubility and dissolution rate*. International Journal of Polymeric Materials and Polimeric Biomaterials. 1-7.

Zaini E, Afriyani, Fitriani L, Ismed F, Horikawa A, Uekusa H, *Improved Solubility and Dissolution Rates in Novel Multicomponent Crystals of piperine With Succinic Acid*. Scientia Pharmaceutica. 2020.

Zaini E, Halim A, Soewandhi S N, dan Setyawan D. 2011. Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-Kristalisasi dengan Nikotinamida. Jurnal Farmasi Indonesia. 5(4): 205 -212.

