

DAFTAR PUSTAKA

- Abdulkadir, Abdulaziz R, Nashriyah Mat, M Hasan, and S Jahan. (2016). In Vitro Antioxidant Activity of the Ethanolic Extract from Fruit, Stem, and Leaf of *Solanum torvum*. *Journal of ScienceAsia*, 42(3): 184-189.
- Abdullahi, W., Hamzah, R.U., Jigam, A.A., Yahya, A., Kabiru, A. Y., Muhammad, A., Sakpe, S., Adefolalu, F.S., Isah, M.C. & Kolo, M.Z. (2012). Inhibitory activity of xanthine oxidase by fractions *Crateva adansonii*. *Journal of Acute Disease*, 126-129.
- Alfarabi, Muhammad, and Gupita Widyadhari. (2018). Al-Kauniyah: Toksisitas Dan Identifikasi Fitokimia Ekstrak Buah Dan Batang Rimbang (*Solanum Torvum Swartz*) Jakarta: Universitas Kristen Indonesia, *Jurnal Biologi*, 11(2): 109–115.
- Alqahtani, M. J. & Alshamrani, A. A. (2018). Overview of Allopurinol Decision in Primary Care: A Narrative Review. *The Egyptian Journal of Hospital Medicine*, 72(2): 3909-3913.
- Agrawal DA, Bajpei SP, Patil AA, dan Bavaskar RS. (2010). (*Solanum torvum Swartz*) . *phytopharmacological review, Der Pharmacia Lettre*, 2(4): 403-407.
- Agustina, Sry, Ruslan, and Agrippina Wiraningtyas. 2016. Skrining Fitokimia Tanaman Obat Di Kabupaten Bima. *Cakra Kimia* 4(1): 71–76.
- Ajie, Rizky Bayu. 2015. White Dragon Fruit (*Hylocereus Undatus*) Potential As Diabetes Mellitus Treatment. *Journal Majority*, 4(1): 69.
- Anam k, Dwi S, Dewi K, dan Agustina L. (2017). Chemical constituents and inhibition xanthine oxidase activity of *Avicennia marina* exudate. *Research journal of Medical Plants*, 11(1): 19-24.
- Anthony F, Eugene B, Dennis K, Stephen H, Longo, Jameson J. (2008). *Harrison's Principles of International Medicine. Edisi 17*. New York: Mc Graw Hill.
- Aryanti, E. (2013). Efek Nefroprotektif Ekstrak Buah Terung Pipit (*Solanum Torvum Swartz*) pada Tikus Putih Diinduksi Gentamisin. *Majalah Farmasi dan Farmakologi* 18(2): 17-22.
- Balachandran, Chandrasekhar, Veeramuthu D, Naif A A. (2012). Antimicrobial and Antimycobacterial Activities of Methy 1 Caffeate Isolated from *Solanum Torvum Swartz*. *Indian Journal Microbiol.* 52(4) : 676-681.

- Cahyono, J. B. Suharjo. B. (2009). *Batu Ginjal*. Yogyakarta : KANISUN.
- Cannon, P.J. Stason, W.B. Demartini, S., Sommers, and Laragh, H. (1996). Hyperuricemia in primary and renal hypertension, *The New England Journal of Medicine*. vol 275, no 9, pp. 457-464.
- Chen, C. Lu, J.M. and Yao, Q.(2016). Hyperuricemia related diseases and xanthine oxidoreductase (XOR) inhibitors an overview. *Medical Science Monitor*, vol. 22, pp 2501-2512.
- Cheng, L. C., Murugaiyah, V. (2015). In vitro Xanthine Oxidase Inhibitory Studies of Lippia nodiflora and phenylethanoid glycosides as promising antihyperuricemic agents and elucidation of their mechanism of action. *Journal of Ethnopharmacology*, 17(6):485-493.
- Cos, Ying, Cimanga, Poel, Pieters, Vlietinck, dan Berghe. 1998. Structure-Activity Relationship and Classification of Flavanoids as Inhibitors of Xanthine Oxidase and superoxide Scavengers. *Journal of Natural Products*. Volume 61 (1):71-76.
- Cotelle N., Bernier JL, Catteau JP, Pommery J., Dompert JC, Gaydou EM (1996). sifat antioksidan hidroksi-flavon. *Biol Radikal Bebas*. Med. 20 (1) : 35-43.
- Darminto, B. (2010). Khasiat Antihipertensi Ekstrak Kulit Batang Mahoni (*Swietenia macrophylla* King) pada Tikus Putih Galur Sprague Dawley. *Skripsi Farmasi*. Bogor: Institut Pertanian Bogor.
- Daudon M, Frochot V. (2015). Crystalluria. *Journal Clinical Chemistry and Laboratory Medicine*. 53(2): :1479-1487.
- Departemen Kesehatan Republik Indonesia. (2000). *Inventaris Medika Indonesia Jilid VI*. Jakarta : Direktorat Jenderal Pengawasan Obat dan Makanan.
- Dipiro, Joseph T, Barbara G Wells, Terry L Schwinghammer, and Cecily V Dipiro. (2015). *Pharmacotherapy Handbook Ninth Edition-Section 4 Chapter 19*, The McGraw-Hill Companies, Inc, United States.
- Djoueudam, Flavie Gaelle et al. (2019). Solanum torvum Sw. (Solanaceae): Phytochemical Screening, Antisalmonella and Antioxidant Properties of Leaves Extracts. *Journal of Medicine Plants Studies*. 7(1):5-12.
- Dawish, I. S., (1989). *Penentuan Nutrien dalam Jaringan dan Plasma Tubuh*. Halaman 54-61, PAU Pangan dan Gizi, UGM. Yogyakarta.
- Endarini, Lully Hanni. (2016). *Farmakognosi Dan Fitokimia*. Jakarta : Pusdik SDM Kesehatan Kemenkes RI.

- Ergina, Siti Nuryanti, and Indarini Dwi Purtsari. 2014. Uji Kualitatif Senyawa Metabolit Sekunder Pada Daun Palado (Agave Angustifolia) Yang Diekstraksi Dengan Pelarut Air Dan Etanol Qualitative Test of Secondary Metabolites Compounds in Palado Leaves (Agave). *J. Akad. Kim* 3(3): 165–72.
- Farid W, R. K. (2018). Uji Aktivitas Antihiperurisemia dari Ekstak Etanol Daun Kluwih (Artocarpus altilis (Parkinson) Fosberg) Terhadap Mencit Jantan (Mus musculus). *Jurnal Atomik*, 3(2): 111-115.
- Febrina, L., Rusli, R., Muflihah F. (2015). Optimalisasi Ekstrak Dan Uji Metabolit Sekunder Tumbuhan Libo (Ficus Variegata Blume) . *J. Trop Pharm. Chem.* 3:74-81.
- Febriani , D., Mulyanti, D., Risnawati, E., (2015). Karakterisasi Simplisia dan Ekstrak Etanol Daun Sirsak (*Annona muricata* Linn). *Jurnal* 475-480
- Fitriana R, (2015). *Cara Cepat Atasi Asam Urat*. Penerbit Medika Yogyakarta, Indonesia. Hal 95.
- Fritz, A.K, Amrein, I. Wolfer, D.P. (2017). Similiar reliability and equivalent performance of female and male mice in the open field and water-maze place navigation task. *American Journal of Medical Genetics. Part C, Seminars in Medical Genetics*. Doi: 10.1002/ajmg.c.31565.
- Gandhi, Gopalsamy Rajiv, Savarimuthu Ignacimuthu, Michael Gabriel Paulraj, and Ponnusamy Sasikumar. (2011). Antihyperglycemic Activity and Antidiabetic Effect of Methy 1 Caffate 36 Isolated from Solanum Torvum Swartz. Fruitin Streptozotocin Induced Diabetic Rats. *Journal of Pharmacology of European*, 670(2–3):623–631.
- Gliozzi, M., Malara, N., Muscoli, S., & Mollace, V. (2016). The treatment of Hyperuricemia. *International Journal of Cardiology*, 213: 23-27.
- Greff OBW, dan Kopke A. (2010). Hyperuricemia and gout. *A Riview. Journal of the South African Academy of Family Practice/Primary Care*, 52(2): 114-120.
- Harvey, R. A. dan Ferrier, D. R. (2011). *Biochemistry*. Edisi 5. USA: Lippincott Williams and Wilkins.
- Harbone. (1996). *Metode Fitokimia*. Terbitan kedua. Terjemahan dan Phytochemical methods. Oleh: Padamawinata, Koash, Iwan S. ITB. Bandung. Hal 6, 147.
- Harborne, J. (1987). *Metode Fitokimia*. Penuntun Cara Modern Menganalisis (terbitan kedua ed.). Bandung: ITB.

- Hastuti, V.N, *et al.* (2018). Hubungan asupan protein total dan protein nabati terhadap kadar asam urat dalam darah pada wanita menopause. *Journal of Nutrion*, 7. doi:https://doi.org.31253.
- Heldt,H.W.(2011).*Plantbiochemistry*4thedition.Oxford:Elsevier.
- Hidayah, N., Fenny H., Muhammad G., dan Anggun L. 2018. Uji Efektivitas Antihiperurisemia Ekstrak Air Daun Salam (*Syzygium Polyanthum* Wight.) Terhadap Mencit Jantan (*Mus Musculus*) Yang Diinduksi Jus Hati Ayam Dan Kalium Oksonat. *Jurnal Saintika*.Vol 18 (1): 24-31.
- Houghton Pj, and Amala. (1998). *Laboratory Handbook for The Fractionation of Natural Extracts*. London: Chapman & Hall.
- Huang, Shang, Zhang, Li, danJioa. (2008). Hypouricemic Effects Phenylpropanoid Glycosides Acteoside of *Scrophularia ningpoensis* on Serum Uric Acid Levels in Pottasium Oksonat-Pretreated Mice. *The American Journal of Chinnese Medicine*. Vol. 36(1) : 149-157.
- Ibrahim N, Nuryanti S, Hasanuddin A, Zubair MS. Phytochemical Analysis and Antihyperuricemic Activity of Ethanolic Extract of *Moringa oleifera* Seeds. *Pharmacognosy Journal*, 12(6): 1698-1704.
- Jaiswal, BS. (2012). International Journal of Pharma and Bio Sciences Solanum Torvum:A ReviewOf Its Traditional Uses, *Phytochemistry And Pharmacology*.3(4): 104–111. doi: 10.5530/pj.2020.12.229.
- Julianto, TatangShabur.(2019).*Fitokimia: Tinjauan Metabolit Sekunder dan Skrining Fitokimia*. Yogyakarta: Universitas Islam Indonesia.
- JuwitaR, ChairulS,SaibunS.(2017).UjiAktivitasAntihiperurisemiadariDaun Hijau Tanaman Pucuk Merah (*Syzygum myrtifolium* Walp.)Terhadap Mencit Jantan(*Mus musculus*). *Jurnal Atomik* 02(1): 162-168.
- Johson PD, Besselsen DG, (2002). Practial Aspects of experimental designin Animal Research. *ILAR Journal*,43(4),202-206.
- Kanellos,P,Kaliora,A.,Gioxari,A.,Christopoulou,G.,& Kalogeropoulos. (2013). Absorption and Bioavailability of Antioxidant Phytochemicals and Increase of Serum Oxidation Resistance in Healthy Subjects Following Supplementation with Raisins, *Research Article. P l a n t F o o d s H u m N u t r* , 4 1 1 - 4 1 5 .
- Karthikeyan M, Dileep OA, Shamasundar BA. (2006). Effect of water washing on the functional and rheological properties of proteins from threadfin

bream (*Nemipterus japonicus*) meat. *International Journal of Food Science and Technology*, 41: 1002-1010.

Katzung, BG, Masters SB, dan Trevor AJ. (2012). *Basic & Clinical Pharmacology (12th Edition)*. New York: McGraw-Hill.

Kementrian Kesehatan Republik Indonesia (2017). *Farmakope Herbal Indonesia Edisi I*. Jakarta, Indonesia: Departemen Kesehatan Republik Indonesia.

Kusuma, A., Mahardian, Wahyuningrum, R. and Wisyati, T. (2014). Aktivitas antihiperurisemia ekstrak etanol herba pegagan pada mencit jantan dengan induksi kafein, *Pharmacy*, 11(1) : 62-74

Lakshmi, D, N Prasanna, and P Ponmurugan. (2013). In Vitro Interactions Between Solanum torvum Extracts and Microbes. *Journal of Plant Science* 6 (1): 47-51.

Lima L, Fernanda CF, Maira R, Bruna M, Carmen A, dan Denia A. (2015). Effect of extracts of leaves from *Sparattopis leucanthum* on hyperuricemia and gouty arthritis. *Journal of Ethnopharmacology*, 161, 194-199.

Liu R, Cheng H, Wu D, Xinghai X, Jiang G, Haixia G, Zongyan S, dan Weiping T (2015). Prevalence of hyperuricemia and gout in main land China from 2000 to 2014. *A systematic review and meta-analysis Biomed Research International*, 1-12.

Liu N, Xu H, Sun Q, Yu X *et al.* (2020). The Role of Oxidative Stress in Hyperuricemia and Xanthine Oxidoreductase (XOR) Inhibitors. *Hindawi oxidative Medicine and Cellular Longevity* Vol 2021, Article ID 1470380, <https://doi.org/10.1155/2021/1470380>.

Lin, S.Y. Zhang, G.W. Liao, Y.J, Pan, J.H. Dietary flavanoid as xanthine oxidase inhibitors. Structure Affinity and Structure Activity relationship. *J. Agric. Food Chem*, 63: 7784-7794.

Lohr, J.W. (2018). Hyperuricemia. MedScape. diakses pada 26 september 2021. <https://www.emedicine.medcape.com/article/241767overview>

Manampiring, A.E., dan Bodhy, W. (2011). Prevalensi Hiperurisemia pada Remaja Obese di Kota Tomohon. *Lembaga Penelitian*. Manado : Universitas Sam Ratulangi.

Maiuolo S, Francesca O, Santo G, Carolina M, dan Vincenzo M. (2015). Regulation of uric acid metabolism and excretion. *International Journal of Cardiology*, 1-7.

- Martillo, M.A., Nazzari, L., & Crittenden, D.B., (2014). The Crystallization of monosodium urate. *Current Rheumatology Report*, 16: 400.
- Mazzali, M., Kanellis J., Han L., Feng L., Yang Xia Li, Chen Q., Duk-Hee Kang, Katherine L., Gordon, Watanabe S., Nakagawa T., Hui Y. Lan, and Richard J. Johnson..(2001). Hyperuricemia Induces A Primary Renal Arteriopathy in Rats By A Blood Pressure-independent Mechanism, Division of Nephrology, Baylor College of Medicine, Houston, Texas 77030
- Milind P, Kaur S, dan Sethi N. (2013). The crystallization of monosodium urate. *International Research Journal of Pharmacy*, 4(9): 25-43.
- Muhtadi, Suhendi, Nurcahyanti, dan Sutrisna. (2014). Uji Praktikum Antihiperurisemia secara in Vivo pada Mencit Putih Jantan Galur Balb-C dari Ekstrak Daun Salam (*Syzygium polyanthum* Walp) dan daun Belimbing Wuluh (*Averrhoa bilimbi* L.). *Biomedika*. 6(1): 17-23.
- Mogil, J.S, Chanda, M.L. (2005). The case for the inclusion of female subject in basic science studies of pain. *Pain*, 117(2), 1-5.
- Nasrul E, dan Sofitri (2012). Hiperurisemia pada pra diabetes. *Journal Kesehatan Andalas*, 1(2):11-22.
- Nimse, S. B., dan Pal, D. (2015). Free Radicals, Natural Antioxidants, And Their Reaction Mechanisms. *The Royal Society of Chemistry*. Halaman 27986–28006
- Nur Hasanah, Dede Rival Novian. (2020). Daya Hambat Ekstrak Daun Belimbing Wuluh (*Averrhoa bilimbi* L) Terhadap Bakteri Penyebab Jerawat (*Propionibacterium acnes*). *Jurnal poltektegal*. 9 (1) : 46-53.
- Nur, Yanita, Syamsiah N., (2017). *Berdamai dengan Asam Urat*. Tim Bumi Medika. Jakarta, Indonesia.
- Nuyridayanti, A. (2017). Pengaruh Rendam Air Garam Terhadap Penurunan Tingkat Nyeri Pada Penderita Gout Di Desa Toyo resmi Kecamatan Gampengrejo Kabupaten Kediri. *Jurnal Ilmu Kesehatan*. Stikes Ganesha Husada Kediri, Vol 1, No 2.
- Novitasari, A. (2015). Pengaruh ekstrak daun bumbutali (*Gigantochloa apus*) terhadap penurunan kadar asam urat darah mencit jalar bALB-Chiperurisemia. *Skripsi*. Program Studi Pendidikan Biologi Fakultas Keguruan Dan Ilmu Pendidikan Universitas Jember.
- Periyanayagam K, Mubeen M, Sakeem, Mohamed M, Basha, Sathik S. (2013). Phytochemical studies and gc/ms analysis on the isolated essential oil

from the leaves of Piper betle var. Siguramail 1 (SGM1). *Journal of Pharmacy Research*. 4(7): 2411-2413.

Pourmorad, F., Hosseini, S.J., Shahabimajd, N. (2006). Antioxidant Activity, Phenol and Flavanoid Contents of Selected Iranian Medical Plants. *African Journal of Biotechnology*, 5(11) : 1142-1145.

QH, H., Zhang, X., Wang, X., Jiao, R. Q., dan Kong, R. D. (2011). Quercetin regulates organic ion transporter and uromodulin expression and improves renal function in hyperuricemic mice. *Eur J Nutr*. 51(5):593.

Ragab G, Mohsen E, dan Thomas B. (2017). Gout an old disease in new perspective. *Journal of Advanced Research*, 1-7.

Rahmat H. 2009. Identifikasi senyawa flavonoid pada sayuran *indigenous* Jawa Barat. *skripsi*. Bogor: Fakultas Teknologi Pertanian, Institut Pertanian Bogor.

Ratnawati, Julia, Soraya Riyanti, and Heny Fitriani. (2013). Uji Aktivitas Antioksidan Daun Takokak (*Solanum torvum* Swartz) Secara In Vitro Dengan Metode DPPH (1,1-Difenil-2-Picrilhidrazil). Antioxidant Activity of the Takokak Leaf (*Solanum torvum* Swartz) by DPPH (1,1-Diphenyl-2-Picrylhydrazyl) in Vitro Method. *Jurnal Tumbuhan Obat Indonesia* 6(2):105–9.

Reo AR, Berhipon S, Montolalu R. (2017). Metabolit Sekunder Gorgonia (*Paramuricea clavata*). *Jurnal Ilmiah Platax*, 5(1): 42-48.

Ridi RE, dan Hatem T. (2017). Physiological function and pathogenic potential of uric acid. *A Review Journal of Advanced Research*, 1-7.

Riskesdas. (2018). *Hasil Utama Riset Kesehatan Dasar*. Kementerian Kesehatan Republik Indonesia: 1–100.

Rotschild, BM (2013). Gout and Pseudogout, *Emedicine Medscape*, diakses 2 Agustus 2021 <http://www.emedicine.medscape.com/article/329958-author>.

Sangi, Meiske, Max R J Runtuwene, and Herny E I Simbala. (2008). Analisis Fitokimia Tumbuhan Obat Di Kabupaten Minahasa Utara. *Chem. Prog* 1(1): 47– 53.

Sattui SE, dan Agelo LG. (2016). Treatment of hyperuricemia in gout current therapeutic options, latest developments and clinical implications. *Therapeutic Advances in Musculoskeletal Disease*, 8(4): 145-159.

- Shargel L *et al.* (2012). *Biofarmasetika dan Farmakokinetika terapan (edisi ke 5)*. Airlangga University Press. Surabaya.
- Shi, Y.L. Williamson, G.(2016). Quercetin lowers plasma uric acid in pre hyperuricemic males: A randomised, double blinded, placebo controlled, cross over trial . *Brit. J. Nutr*, 115: 800-806.
- Suhendi, Nurcahyanti, Muhtadi, dan Sutrisna. (2011). Aktivitas Antihiperurisemia Ekstrak Air Jinten Hitam (*Coleusambonicus*Lour)pada Mencit Jantan Galur Balb-C dan Standar disasinya.*Majalah Farmasi Indonesia*. Vol. 22 (2);77-84..
- Telkeltaub R,San D, dan Hyon K.(2016). *Cause diagnosis and treatmentarthritis*. American : Arthritis Foundation.
- Tion SH. Looi CY, dan Hazni H. (2013). Antidiabetic and antioxi dant propertiesof alkaloids from Catharan thusroseus(L.)G.Don.*Molecules (Basel, switzerland)*. 18(8):9770-9784.
- Untari, D.,Wijayanti, T. (2017). *Hubungan Pola Makan Dengan Penyakit Gout*. Program: Studi D3 Keperawatan Stikes Muhammadiyah Surakarta.
- Vandenberg LN. (2014). Non-Monotonic Dose Responses In Studies ofEndikrine Distrupting Chemicals: Bisphenol A As A Case Study. *International Dose Response Society*, 12: 259-276.
- Vijayakumari, P et al. (2012). Studies on the Physico-Phytochemical Properties and Hepatoprotective Effect of Solanumt orvum Swart. *J of Drug Discovery and Herbal Research* 2(1): 323-328
- Wahyuningsih, Yulinah, Sukrasno, dan Karina. (2015). Efek Anti hiperurikemia Ekstrak Air Kelopak Bunga Rosela (*Hibicussabdariffa*L.) Pada Tikus Putih Witsar Jantan. *Jurnal Farmasi Sains dan Terapan*.Vol. 2(1):4-7.
- Wiliams PT. (2014). Effect of diet, physical activity and performance, and body weight on incident gout in ostensibly healthy, vigorously active men. *Am J Clin Nutr*, 87: 1480-1487.
- Yakupova SP.(2018).Gout New opportunities of diagnosis and treatment. *Armenian Medical Journal*90(5):88-92.
- Yasinta R, Hastuti L, Joni T, dan Sri M. (2017). Efektivitas Antihiperurisemia Ekstrak Etanol Daun Seledri (Eeds) pada Tikus Induksi Kalium Oksonat. *Journal Trop. Pharm. Chem*, 4(10):1-6.

Yousaf, Zubaida, Ying Wang, and Elias Baydoun. (2013). Phytochemistry and Pharmacological Studies on *Solanum Torvum Swartz*. *Journal of Applied Pharmaceutical Science*, 3(4):152–160.

Yoshikawa, T. Naito, Y. (2002). What is Oxidative Stress. Professor and Associate, First Department of Medicine, Kyoto Prefectural University of Medicine, *JMAJ* 45(7) : 271-276.

Zhou, Y., Zhao, M., Pu, Z., Xu, G., Li., X. (2018). Relationship between Oxidative Stress and Inflammation in hyperuricemia Analysis based on asymptomatic young patients with primary hyperuricemia. *Medicine*, 97:49.

Zou, L. Feng, F.Q. (2019). Research progress of uric acid lowering bioactive compounds in food and their mechanisms. *Sci. Technol. Food Ind.* 40: 352-357

