

DAFTAR PUSTAKA

- Aaltonen J, Alleso, Mirza. Solid Form Screening - A review. European Journal of Pharmaceutics and Biopharmaceutics. 2009 Jan;71(1):23-37.
- Abdullah M, Khairurrijal. Karakterisasi Nanomaterial. Jurnal Nanosains & Nanoteknologi. 2009;2(1):1-10.
- Alatas F, Abdul Azizsidiq F, Hartyana Sutarna T, Ratih H, Nurono Soewandhi S. Perbaikan Kelarutan Albendazol Melalui Pembentukan Kristal Multikomponen dengan Asam Malat. Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal). 2020;6(1):114-23.
- Al-kuraishy, H. M., Al-Gareeb, A. I., Alzahrani, K. J., Alexiou, A., & Batiha, G. E. S. (2021). Niclosamide for Covid-19: bridging the gap. Molecular Biology Reports, 48(12), 8195–8202. <https://doi.org/10.1007/s11033-021-06770-7>
- Bazzo GC, Pezzini BR, Stulzer HK. Eutectic mixtures as an Approach to Enhance Solubility, Dissolution Rate and Oral Bioavailability of Poorly Water Soluble Drugs. International Journal of Pharmaceutics. 2020 Oct;588:119741.
- Bhogala BR, Basavoju S, Nangia A. Tape and Layer Structures in Cocrystals of Binary to Triarboxylic Acids With 4,4-Bipyridier Sand isons conicamide from Binary to Ternary Cocrystals. CrystEngComm. 2005;7(90):551.
- Bolla G, Sanphui P, Nangia A. Solubility Advantage of Tenoxicam Phenolic Cocrystals Compared to Salts. Crystal Growth and Design. 2013;13(5): 1988-2003.
- Chavan RB, Shastri NR. Overview of Multicomponent Solid Forms. Journal of Nanotoxicology and Nanomedicine. 2018 Jan;3 (1):23-48.
- Cherukuvada S, Kaur R, Guru Row TN. Cocrystallization and Small Molecule Crystal Form Diversity: From Pharmaceutical to Materials Applications.CrystEngComm. 2016;18(44):8528-55.
- Clarke HD. Crystal Engineering of Multi-Component Crystal Forms: The Opportunities and Challenges in Design. Pro Quest Disseratitas and Theses. 2012;(January):153.
- Crawford Scientific. 2011. The Theory of HPLC Chromatographic Parameters. <http://www.chromacademy.com>. Diakses tanggal 19 Februari 2019.
- Dachriyanus. Analisis Struktur Senyawa Organik Secara Spektroskop. PADANG:

- Lembaga Pengembangan Teknologi Informasi dan Komunikasi (LPTIK); 2004.1-158 p.
- Davis. Studies of Relationship in Cocrystal Systems. Am Crystallogr Assoc Trans. 2004;39:41-61.
- Felton L. Remington Essential of Pharmaceutics. In: Pharmaceutical Press 2012, editor. 2012. p. 1-783.
- Ferdiansyah R, Ardiansyah AS, Rachmaniar R, Yuniar I. Review: The Effect of Cocrystal Formation Using Carboxylic Acid Coformer With Solvent Evaporation and Solvent Drop Grinding Methods on Bioavailability of Active Substances. Jurnal Ilmiah Farmako Bahari. 2021;12(1):28-38.
- Ferdiansyah, (2021). Pembentukan dan Karakterisasi Multikomponen Kristal Piperin – Asam Nikotinat: Peningkatan Disolusi. *Jurnal Farmasi dan Teknologi*, Vol. 9, No. 2, pp. 114-121.
- Fudholi A. Disolusi dan Pelepasan Obat In Vitro. In: Fudholi A, editor. 1st ed. Yogyakarta: Pustaka Pelajar; 2013. p. 32-50
- Fulias A, Vlase G, Vlase T, Suta LM, Soica C, Ledeti I. Screening and Characterization of Cocrystal Formation Between Carbamazepine And Succinic Acid. Journal of Thermal Analysis and Calorimetry. 2015 Sep 19;121(3):1081-6.
- Hairunnisa, Sopyan I, Gozali D. Cocrystal : Nicotinamid as The Coformer. Jurnal Ilmiah Farmako Bahari. 2019 Jul; 10(2): 1-10.
- Harmita. Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya. Majalah Ilmu Kefarmasian. 2004;1 (3):117-35.
- Hokcu. Troubleshooting Dalam Analisis Spekrofotometer UV-VIS. 1st ed. Korry, editor. Vol. 1. Jawa Barat: RCI; 2022. 4-11
- Hornedo RN, Nehm JS, Jayasankar A. Cocrystals: Design, Properties and Formation Mechanisms. 4th ed. Swarbrick J, editor. 2015. 19 p.
- Iyan. Kokristalisasi: Modifikasi Padatan Farmasi Sebagai Strategi Perbaikan Sifat Fisikokimia Obat. Yogyakarta: Dee Publish ; 2020.
- Jessica, A., Agustina, A., Fitriani, L., & Zaini, E. (2022). Pembentukan dan Karakterisasi Multikomponen Kristal Aseklofenak – Asam Suksinat dengan Metode Solvent Drop Grinding. *Jurnal Sains Farmasi & Klinis*,

Jigar S. Bhanushali, Sumit Dhiman, Utpal Nandi, Sonali S. Bharate. Molecular interactions of niclosamide with hydroxyethyl cellulose in binary and ternary amorphous solid dispersions for synergistic enhancement of water solubility and oral pharmacokinetics in rats. International Journal of Pharmaceutics. Volume 626, 15 October 2022, 122144.

Kadam S, Shinkar DM, Saudagar RB. Review on techniques. Int J Pharm Bio Sci. 2013 Oct;3 (3):462-75.

Kappagoda, S., Singh, U., & Blackburn, B. G. (2011). Antiparasitic therapy. Mayo Clinic Proceedings, 86(6), 561–583. <https://doi.org/10.4065/mcp.2011.0203>

Karagianni A, Malamatari M, Kachrimanis K. Pharmaceutical Cocrystals: New solid Phase Modification Approaches For The Formulation of API. Pharmaceutics.2018;10(1):1-30.

Kementrian Kesehatan Republik Indonesia. Farmakope Indonesia Edisi VI 2020. VI. Vol. 615.1. Jakarta: Kementerian Kesehatan RI. Direktorat Jenderal f Kefarmasian dan Alat Kesehatan; 2020. 1-2371 p.

Kumar S, Gupta A, Mishra C, Singh S. Synthesis, Characterization and Performance Evaluation of Aceclofenac-Urea Cocrystals. Indian Journal of Pharmaceutical Sciences. 2020;82(5):881-90.

Li Y, Li PK, Roberts MJ, Arend RC, Samant RS, B. D. (2014). Multi-targeted therapy of cancer by niclosamide: A new application for an old drug. Cancer Lett., 349, 8–14.

Lin HL, Wu TK, Lin SY. Screening and Characterization of Cocrystal Formation of Metaxalone With Short-Chain Dicarboxylic Acids Induced By Solvent-Assisted Grinding Approach. Thermochimica Acta. 2014 Jan; 575:313-21.

Lu, D.; Bu, Z.; Zhang, T.; Zhang, X.; Wu, B. Metabolisme obat antihelmintik niclosamide oleh enzim sitokrom P450 dan UDPglukuronosiltransferase: Penjelasan metabolik dan kontribusi utama dari CYP1A2 dan UGT1A1. Xenobiotika 2016, 46, 1–13. [Referensi Silang]

Miguel O. Jara, Zachary N. Warnken And Robert O. Williams III. Amorphous Solid Dispersions and the Contribution of Nanoparticles to In Vitro Dissolution and In Vivo Testing: Niclosamide as a Case Study. Pharmaceutics 2021, 13(1), 97; <https://doi.org/10.3390/pharmaceutics13010097>

Moribe K, Higashi K. Nanocrystal Formulation of Poorly Water-Soluble Drug. Drug Delivery System. 2015;30(2):92-9.

Najih YA, Setyawan D, Radjaram A. Pembentukan Kokristal Ketokonazol-Asam Suksinat Yang Dibuat Dengan Metode Penggilingan (Grinding). Journal of Pharmacy Science and Technology. 2018;1(1):8. Rs EN. Aceclofenac. 2018. 1740-1742 p.

Papich MG, Martinez MN. Applying Biopharmaceutical Classification System (BCS) Criteria to Predict Oral Absorption of Drugs in Dogs: Challenges and Pitfalls. The AAPS Journal. 2015 Jul 29;17(4):948-64.

Patel DJ, Puranik PK. Pharmaceutical Co-crystal: An Emerging Technique to Enhance Physicochemical Properties of Drugs. International Journal of Chem Tech Research. 2020;13(3):283-90.

Patra B,B. Biswajit S. Engineering Chemistry I . Yadav A, editor. India; 2011.

Permata SD, Sulaiman Saifullah, Mafruhah ratna, okti. Uji Disolusi Terbanding Tablet Metformin Hidroklorida Berlogo dan Bermerek. Majalah Farmaseutik.2013;9(1):1-5.

Permatasari D, Ramadhani S, Sopyan I. Ko-Kristal: Teknik Pembuatan Ko-Kristal. Farmaka [Internet]. 2016;14(4):98-115. Available from: <http://jurnal.unpad.ac.id/farmaka/article/view/10461/5073>

Qiao N, Li M, Schlindwein W, Malek N, Davies A, Trappitt G. Pharmaceutical Cocrystals: An Overview. International Journal of Pharmaceutics. 2011 Oct;419(1-2): 1-11.

Riyanto. Validasi dan Verifikasi Metode Uji. Yogyakarta: Deepublish; 2019.

Roman A. Validasi dan Penjaminan Mutu Metode Analisis Kimia. Yogyakarta: Gadjah Mada University Press; 2016.

Sagala RJ. Review: Metode Peningkatan Kecepatan Disolusi Dikombinasi Dengan Penambahan Surfaktan. Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal). 2019 Apr 2;5(1):84-92.

Sari YN, Zaini E, Ismed F. Peningkatan Laju Disolusi Piperine dengan Pembentukan Multikomponen Kristal Menggunakan Asam Nikotinat. Jurnal Sains Farmasi & Klinis. 2019 Aug 28;6(2):180.

Sathisaran I, Dalvi S. Engineering Cocrystals of Poorly Water-Soluble Drugs to Enhance Dissolution in Aqueous Medium. Pharmaceutics. 2018 Jul 31;10(3): 108.

Savjani, K. T., Gajjar, A. K., & Savjani, J. K. (2012). *Drug Solubility: Importance and Enhancement Techniques*. ISRN Pharmaceutics.

Setiabudi A. Karakterisasi Material Prinsip dan Aplikasi Dalam Penelitian Kimia. Bandung: UPI PRESS; 2012. 1-146 p.

Setianingsih, Prananto. Spektroskopi Inframerah. Malang: UB Press; 2020. 1-136 p.

Setyawan D, Pravianti ERD, Pratiwi KD, Isadiartuti D, Paramita DP. Cocrystallization of Loratadine With Succinic Acid Using Neat Grinding Method. SSRN Electronic Journal. 2019;749

Shaikh R, Singh R, Walker GM, Croker DM. Pharmaceutical Cocrystal Drug Products: An Outlook on Product Development. Trends in Pharmacological Sciences. 2018 Dec;39(12): 1033-48.

Shargel L, Wu-pong S, B. Andrew. Applied Biopharmaceutical and Pharmacokinetic. Seventh Ed. Mc Graw, editor. New York: 2012; 2012.

Skoog. 2004. Fundamentals of Analytical Chemistry. USA: Thomson Brooks/Cole
Sopyan I, Insan. Systematic Review: Cocrystal as Efforts to Improve Physicochemical and Bioavailability Properties of Oral Solid Dosage Form. International Journal of Applied Pharmaceutics. 2021 Jan 7;43-52.

Sulistyani M, Huda N. Optimasi Pengukuran Spektrum Vibrasi Sampel Protein Menggunakan Spektrofotometer Fourier Transform Infrared (FT-IR). Journal Chem. 2017 Aug;6(2):1-8.

Susanti I. Pengaruh Medium Disolusi dan Upaya Peningkatan Permeabilitas Metformin. 2019 Feb;1-10.

Thakuria R, Delori A, Jones W, Lipert MP, Roy L, Rodriguez-Hornedo N. Pharmaceutical Cocrystals and Poorly Soluble Drugs. International Journal of Pharmaceutics. 2013 Aug;453(1):101-25.

Tilborg A, Norberg B, Wouters J. Pharmaceutical Salts and Cocrystals Involving Amino Acids: A Brief Structural Overview of The State of Art. European Journal of Medicinal Chemistry Internet]. 2014;74:411-26. Available from: <http://dx.doi.org/10.1016/j.ejmech.2013.11.045>

Wicaksono Y, Setyawan D, Siswandono. Phase Diagram and Thermodynamic Properties of Ketoprofen-Succinic Acid Binary Mixtures. 2018 Jul; 19(2):99-104.

Yoga W, Hendriani R. Review: Teknik Peningkatan Kelarutan Obat. Farmaka. 2017;4(4):1-13.

Zaini E, Afriyani, Fitriani L, Ismed F, Horikawa A, Uekusa H. Improved Solubility and Dissolution Rates in Novel Multicomponent Crystals of Piperine With Succinic Acid. Scientia Pharmaceutica. 2020 Apr 13;88(2):21.

